



eco series

ironing tables - steam generators

ECO SERIES

The new series ECO was created based on PRIMULA's research and know-how, setting as the unique standard on the market, the **quality** of construction and the **extremely low price**. The ECO series consists of ECO ironing tables and ECO automatic and electronic steam generators.

ECO IRONING TABLES

- Advanced rigid construction with low level of noise and ergonomy
- Equally distributed powerful suction for full exploitation of the useful working surface.
- Heated working surface which, in combination with powerful suction guarantees an absolutely dry working surface.
- Restful iron lifting system (optional).
- Long air exhaust chimney for the air removal upwards.
- Swivelarm specially designed for the possibility of putting different types of forms (optional).

ECO-VAPOR HIGH PRESSURE STEAM GENERATORS

- Advanced rigid construction that guarantees high pressure dry steam for impeccable ironing.
- Automatic water feeding through a built-in water pump.
- Water supply by a built in plastic tank of 25 lt capacity.
- Steam boiler meets safety standards and official regulations being tested by TUV and carrying a TRD 801 certificate and a CE conformity certification. It is of 8,5 lt capacity, 3,5 bar working pressure and 6 bar test pressure.
- Water level electronic control.
- Wheeled for easier change of position in the working area.



eco E/FL 1360



eco VAPOR 2-4

ECO ironing tables

eco E/DOB 3711

Ironing system for women's and children's clothes

TECHNICAL DATA

Working surface	: 110 x 38 cm
Standard height	: 85 cm
Heating power	: 1 KW
Power supply	: 230 V-1 ph-50 Hz
Power motor	: 0,5 HP

EXTRA: Swivelarm with sleeve ironing buck
Iron lifting system

eco E/FL 1360

Ironing table of general use for all kinds of clothes with heating and suction

TECHNICAL DATA

Working surface	: 130 x 650 cm
Standard height	: 85 cm
Heating power	: 1 KW
Power supply	: 230 V-1 ph-50 Hz
Power motor	: 0,8 HP

EXTRA : Swivelarm with supporting corner
Sleeve ironing buck
Iron lifting system

ECO vapor series

electronic high pressure steam generator available in 3 models

eco VAPOR 1-2,5

<u>Technical data</u>	: with one solenoid steam flow valve -supply to 1 steam iron
Steam production	: 3,25 kg/hour
Heating	: 2,5kw
Power	: 230v -1ph - 50HZ
Boiler capacity	: 8,5 lt
Water pump	: 0,5 HP - 230V
Water tank capacity	: 25 lt
Steam pressure	: 3,5 bar
Wheels for easy movement	

eco VAPOR 1-4

<u>Technical data</u>	: with one solenoid steam flow valve -supply to 1 steam iron
Steam production	: 5,2 kg/hour
Heating	: 4kw
Power	: 230v -1ph - 50HZ
Boiler capacity	: 8,5 lt
Water pump	: 0,5 HP - 230V
Water tank capacity	: 25 lt
Steam pressure	: 3,5 bar
Wheels for easy movement	

eco VAPOR 2-4

<u>Technical data</u>	: with two solenoid steam flow valves -supply to 2 steam irons
Steam production	: 5,2 kg/hour
Heating	: 4kw
Power	: 230v -1ph - 50HZ
Boiler capacity	: 8,5 lt
Water pump	: 0,5 HP - 230V
Water tank capacity	: 25 lt
Steam pressure	: 3,5 bar
Wheels for easy movement	